




KD1002 Brass Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	48.5	56	66	76	85	99.5					
L1	12	12	15	15.5	17	17					
DN	14	19	24	30	37	47					
H	53	59.5	69.5	76.5	81.5	88.5					
C	95	95	126	141.5	141.5	166.5					



KD1056 Brass Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	48.5	56	66								
L1	12	12	15								
DN	14	19	24								
H	39	42.5	50								
C	54	54	62								



KD1011 Brass Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	57.5	64	74.5								
L1	12	12	17								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1057 Brass Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	57.5	64	74.5								
L1	12	12	15								
DN	14	19	24								
H	39	42.5	50								
C	54	54	62								



KD1002B Brass Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	58.5	66	76	89	105	111.5					
L1	17	17	20	22	22	23					
DN	14	19	24	30	37	47					
H	53	56.5	59.5	76.5	81.5	88.5					
C	95	95	126	141.5	141.5	166.5					



KD1056B Brass Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	56.5	65	76								
L1	17	17	20								
DN	14	19	24								
H	39	42.5	50								
C	54	54	62								



KD1011B Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	62.5	69	80								
L1	17	17	20								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1057B Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	62.5	69	80								
L1	17	17	20								
DN	14	19	24								
H	39	42.5	50								
C	54	54	62								



KD1049 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	47.5	50	61	67	79	87					
L1	12	12	14.5	15.5	17	17					
DN	10	14	19	24	30	37					
H	38	52.5	57	62.5	72.5	76.5					
C	87	95	95	126	140	140					



KD1051 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	47.5	50	61								
L1	12	12	14.5								
DN	10	14	19								
H	35.5	39	41								
C	64	64	64								



KD1050 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	54.5	58.5	72								
L1	12	12	14.5								
DN	10	14	19								
H	38	52.5	57								
C	87	95	95								



KD1052 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	54.5	58.5	72								
L1	12	12	14.5								
DN	10	14	19								
H	35.5	39	41								
C	64	64	64								



KD1101 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	76	84	95								
L1	13	13	16								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1102 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	76	84	95								
L1	13	13	16								
DN	14	19	24								
H	39	42.5	50								
C	54	54	80								



KD1103 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	79	87	98								
L1	13	13	16								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1104 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	79	87	98								
L1	13	13	16								
DN	14	19	24								
H	39	42.5	50								
C	54	54	82								



KD1087 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	67	73.5	85								
L1	13	13	16								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1088 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	67	73.5	85								
L1	13	13	16								
DN	14	19	24								
H	39	42.5	50								
C	54	54	80								



KD1089 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	70	78	88								
L1	13	13	16								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1090 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: -10°C to 130°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	70	78	88								
L1	13	13	16								
DN	14	19	24								
H	39	42.5	50								
C	54	54	82								



KD1098 Brass temperature ball valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	48.5	50	65								
L1	12	12	15								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1099 Brass temperature ball valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	48.5	56	66								
L1	12	12	15								
DN	14	19	24								
H	39	42.5	50								
C	54	54	62								



KD1115 Brass temperature ball valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	77.5	93	112								
L1	12	12	15								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1116 Brass temperature ball valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	77.5	93	112								
L1	12	12	15								
DN	14	19	24								
H	39	42.5	50								
C	54	54	62								



KD1117 Brass temperature ball valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	86.5	101	120.5								
L1	13	13	15								
DN	14	19	24								
H	53	56.5	59.5								
C	95	95	126								



KD1118 Brass temperature ball valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	86.5	101	120.5								
L1	13	13	15								
DN	14	19	24								
H	39	42.5	50								
C	54	54	62								



KD1109 Brass Plastic Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/2X1216	1/2X1620	3/4X2025
L	73	74.5	78
L1	15.5	15.5	15.5
DN	8	12	16
H	43.5	54.5	58
C	87	96	96



KD1110 Brass Plastic Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/2X1216	1/2X1620	3/4X2025
L	73	74.5	78
L1	15.5	15.5	15.5
DN	8	12	16
H	39	39	42.5
C	54	54	54



KD1111 Brass Plastic Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/2X1216	1/2X1620	3/4X2025
L	58	58	50
L1	12	12	12
DN	8	12	16
H	43.5	54.5	58
C	87	96	96



KD1112 Brass Plastic Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C



d	1/2X1216	1/2X1620	3/4X2025
L	58	58	50
L1	12	12	12
DN	12	16	16
H	39	42.5	42.5
C	54	54	54



KD1113 Brass Plastic Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/2X1216	1/2X1620	3/4X2025
L	87	71	71
L1	13	13	13
DN	12	16	16
H	54.5	58	58
C	96	96	96



KD1114 Brass Plastic Ball Valve

- * Working Pressure: 1.6Mpa
- * Suitable Medium: Hot & Cold Water
- * Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/2X1216	1/2X1620	3/4X2025
L	67	71	71
L1	12	12	12
DN	12	16	16
H	39	42.5	42.5
C	54	54	54




KD1046 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C




d	20	25	32	40	50	63	75	90	110
L	91	99	105	132	156.5	168			
L1	18.5	20	21	25.5	28.5	33			
DN	14	19	24	30	37	47			
H	50	52.5	61.5	71	75	90			
C	95.5	95.5	128	140.5	140.5	167			



KD1047 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C




d	1/2X20	3/4X25	1X32	1-1/4X40	1-1/2X50	2X63
L	88	83.5	85.5	103.5	118	144.5
L1	12	12	15	15.5	17	17
DN	14	19	24	30	37	47
H	50	52.5	61.5	71	76	90
C	95.5	95.5	128	140.5	140.5	167



KD1048 Brass Ball Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C



d	1/2X20	3/4X25	1X32	1-1/4X40	1-1/2X50	2X63
L	77	91.5	94.5			
L1	13	14	17.5			
DN	14	19	24			
H	50	52.5	61.5			
C	95.5	95.5	128			




KD1091 Brass Ball Valve

- Working Pressure: 1.0Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C



d	20	25	32	40	50	63	75	90	110
L	91	99	105						
L1	18.5	20	21						
DN	14	19	24						
H	39	42.5	50						
C	64	64	62						




KD1092 Brass Ball Valve

- Working Pressure: 1.0Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C



d	1/2X20	3/4X25	1X32	1-1/4X40	1-1/2X50	2X63
L	88	83.5	86.5			
L1	12	12	15			
DN	14	19	24			
H	39	42.5	50			
C	64	64	62			




KD1119 Brass Ball Valve

- Working Pressure: 1.0Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1/2X20	3/4X25	1X32	1-1/4X40	1-1/2X50	2X63
L	77	81.5	84.5			
L1	13	14	17.5			
DN	14	19	24			
H	39	42.5	50			
C	64	64	62			



KD5072 Manifold

- Working Pressure: 1.0Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C



KD5098 Manifold


- Working Pressure: 1.0Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C





KD1083 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C



d	1x25	1x32	1-1/4x32
L	172	173	
L1	20	21	
DN	25	32	
H	63	63	
C	128	128	



KD1084 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1x25	1x32	1-1/4x32
L	172	173	
L1	20	21	
DN	25	32	
H	57	57	
C	67	67	



KD1094 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C



d	1X1	1X1-1/4	1-1/4X1-1/4
L	150		
L1	15		
DN	24		
H	63		
C	128		




KD1095 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1X1	1X1-1/4	1-1/4X1-1/4
L	180		
L1	15		
DN	24		
H	57		
C	97		



KD1085 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C



d	1x25	1x32	1-1/4x32
L	140	140	
L1	20	21	
DN	25	32	
H	63	63	
C	128	128	



KD1086 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: $\leq 10^{\circ}\text{C}$ to 110°C




d	1X25	1X32	1-1/4X32
L	140	140	
L1	20	21	
DN	25	32	
H	57	57	
C	67	67	



KD1096 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 130°C



d	1X1	1X1-1/4	1-1/4X1-1/4
L	118		
L1	15		
DN	25		
H	63		
C	128		



KD1097 Y Strainer Ball Valve With Gauges

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 130°C



d	1X1	1X1-1/4	1-1/4X1-1/4
L	118		
L1	15		
DN	24		
H	57		
C	67		



KD1105 Ball Valve, Y Strainer, Gauge, With drain cock

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 130°C




d	1X25	1X32	1-1/4X32
L	172	173	
L1	20	21	
DN	25	32	
H	63	63	
C	128	128	



KD1106

Ball Valve, Y Strainer, Gauge, With drain cock

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 130°C




d	1X25	1X32	1-1/4X32
L	172	173	
L1	20	21	
DN	25	32	
H	67	67	
C	67	67	



KD1107

Ball Valve, Y Strainer, Gauge, With drain cock

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 130°C



d	1X1	1X1-1/4	1-1/4X1-1/4
L	158		
L1	15		
DN	24		
H	63		
C	128		



KD1108

Ball Valve, Y Strainer, Gauge, With drain cock

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 130°C




d	1X1	1X1-1/4	1-1/4X1-1/4
L	158		
L1	15		
DN	24		
H	57		
C	67		



KD1071 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: ≤ 10°C/57°F




d	1/4	3/8	1/2	1/2	1/2	3/4
L	82	82	82			
L1	12.5	12.5	12.5			
DN	8	10	12			
H	33.5	33.5	33.5			
C	51	51	51			



KD1072 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: ≤ 10°C/57°F




d	1/4	3/8	1/2	1/2	1/2	3/4
L	82	82	82			
L1	12.5	12.5	12.5			
DN	8	10	12			
H	35	35	35			
C	40.5	40.5	40.5			



KD1073 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: ≤ 10°C/57°F




d	1/4	3/8	1/2	1/2	1/2	3/4
L	82	82	82			
L1	11	11	11			
DN	8	10	12			
H	33.5	33.5	33.5			
C	51	51	51			



KD1074 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	1/2	3/4
L		62	62	62	
L1		11	11	11	
DN		8	10	12	
H		35	35	35	
C		40.5	40.5	40.5	



KD1120 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4
L		48.5		
L1		12.5		
DN		8		
H		33.5		
C		51		



KD1121 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4
L		48.5		
L1		12.5		
DN		8		
H		35		
C		40.5		



KD1122 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4
L		48.5		
L1		11		
DN		8		
H		33.5		
C		51		



KD1123 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	3/4
L		48.5		
L1		11		
DN		8		
H		35		
C		40.5		



KD1075 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C




d	1/4	3/8	1/2	1/2	1/2	3/4
L		63	63	63		
L1		12.5	12.5	12.5		
DN		8	10	12		
H		33.5	33.5	33.5		
C		40.5	40.5	40.5		



KD1076 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: -5°C to 70°C




d	1/4	3/8	1/2	1/2	1/2	3/4
L		63	63	63		
L1		11	11	11		
DN		6	10	12		
H		33.5	33.5	33.5		
C		40.5	40.5	40.5		



KD1077 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: -5°C to 70°C




d	1/4	3/8	1/2	1/2	1/2	3/4
L		53.5				
L1		12.5				
DN		1/2				
H		33.5				
C		40.5				




KD1078 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: -5°C to 70°C




d	1/4	3/8	1/2	1/2	1/2	3/4
L		53.5				
L1		11				
DN		1/2				
H		33.5				
C		40.5				



KD1079 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: -5°C to 70°C





d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	55.5	65	75	89	105	111.5					
L1	17	17	20	22	22	23					
DN	14	19	24	30	37	47					
H	53	55.5	59.5	76.5	81.5	88.5					
C	95	95	120	141.5	141.5	166.5					



KD1080 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: ≤ 19°C to 10°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	58.5		66								
L1	17		17								
DN	14		19								
H	43.5		47								
C	61		61								



KD1081 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: ≤ 19°C to 10°C




d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	64.5	71	63.5								
L1	18	18	20								
DN	14	19	24								
H	53	58.5	59.5								
C	96	95	126								



KD1082 Brass Gas Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Natural gas, liquefied petroleum gas, water
- Working Temperature: ≤ 19°C to 10°C



d	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	58.5		66								
L1	15		16								
DN	14		19								
H	43.5		47								
C	61		61								






KD5003 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C



d	1/2	3/4	1		
L	73	76.5			
L1	11	14			
DN	10	10			
H	61	61			
C	33	33			



KD5004 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C



d	1/2	3/4	1		
L	73	76.5			
L1	11	14			
DN	10	10			
H	55.5	55.5			
C	33	33			



KD5074 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C



d	1/2X20	3/4X25	1X32		
L	73	76.5			
L1	11	14			
DN	10	10			
H	61	76			
C	33	39.5			



KD3001 Brass Check Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C



d	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	45	51	58	62.5	71	78.5			
L1	10	12	13.5	15	19	16.5			
C	34.5	41.5	48.5	57.5	65	84			




KD3005 Brass Check Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C



d	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	47	54	62	70	89	91			
L1	10.5	13	13.5	15	16	16.5			
DN	14	18	22	28	34	43			
H	32.5	37	44	50.5	57	65			
C	28	31	40	46	57	64			




KD3006 Brass Filter Valve

- Working Pressure: 1.6Mpa
- Suitable Medium: Hot & Cold Water
- Working Temperature: ≤ 10°C to 110°C



d	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	56.5	69	76.5	93	105	122			
L1	11	12	15	18	20	21			
H	32.5	36	40.5	52.5	61.5	75			





KD5075 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : ≤ 10°C to 110°C



d	1/2X20	3/4X25	1X32
L	60	69	
L1	11	14	
DN	10	13	
H	65.5	71.5	
C	33	39.5	




KD5080 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : ≤ 10°C to 110°C



d	1/2X1620	3/4X1620	3/4X2025	1X2025
L	59	69		
L1	14	14		
DN	13	13		
H	71.5	71.5		
C	39.5	39.5		



KD5088 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : ≤ 10°C to 110°C



d	1/2	3/4	1
L	66		
L1	13		
DN	16		
H	71		
C	39.5		



KD5089 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : ≤ 10°C to 110°C



d	1/2	3/4	1
L	60		
L1	13		
DN	16		
H	71		
C	39.5		




KD5090 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : ≤ 10°C to 110°C



d	1X20	3/4X25	1X32
L		113.5	
L1		13	
DN		16	
H		81	
C		39.5	




KD5091 Brass Radiator Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : ≤ 10°C to 110°C




d	1/2X20	3/4X25	1X32
L	66		
L1	13		
DN	16		
H	71		
C	39.5		





KD5092

- *Working Pressure: 1.6Mpa
- *Suitable Medium : Hot & Cold Water
- *Working Temperature : ≤ 130°C



d	1/2X20	3/4X25	1X32
L	113.5		
L1	13		
DN	16		
H	81		
C	39.5		



KD5093 Brass Radiator Valve

- *Working Pressure: 1.6Mpa
- *Suitable Medium : Hot & Cold Water
- *Working Temperature : ≤ 130°C



d	1/2X20	3/4X25	1X32
L	88		
L1	13		
DN	16		
H	71		
C	39.5		




KD5094 PAP5 Fitting



KD5096 PB Fitting



KD5097 PERT Fitting







KD4008 Brass Gate Valve

- *Working Pressure: 1.6Mpa
- *Suitable Medium: Hot & Cold Water
- *Working Temperature: ≤ 10°C to 130°C



d	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	43	48	54	60	63	71			
L1	13	14.5	15.5	17.5	18	20			
DN	14	19	24	30	37	48			
H	75.5	82	85	112	122	149			
C	63.5	63.5	60	72	72	86			



KD4010 Brass Stop Valve

- *Working Pressure: 1.6Mpa
- *Suitable Medium: Hot & Cold Water
- *Working Temperature: ≤ 10°C to 130°C




d	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	45	54	66						
L1	11	12	15						
DN	17	22.5	28						
H	66.5	73	81						
C	53.5	53.5	60						



KD5095
Pressure Reducing Valve

- *Working Pressure: 1.6Mpa
- *Suitable Medium: Hot & Cold Water
- *Working Temperature: ≤ 10°C to 130°C



d	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	76	76	79	85	104	113			
L1	13	13	13	15	15	18			
DN	10	11	13	15	22	24			
H	74	74	73	79.5	98	102.5			
C	46	46	46	51	67	72			




KD5099
Brass Filter Valve

SIZE
1/2"X1/2"
3/4"X3/4"
1"X1"



KD5100
Water Supply Valve

SIZE
1/2"X1/2"
3/4"X3/4"
1"X1"




KD5101
Water Supply Valve

SIZE
1/2"X1/2"
3/4"X3/4"
1"X1"



KD6038 Brass Bib Cock

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C




d	3/8	1/2	3/4	1	1-1/4
L	30.5	30.5			
L1	13	14			
DN	10	12			
H	41	42			
C	87	87			



KD6038 Brass Bib Cock

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C



d	3/8	1/2	3/4	1	1-1/4
L	30.5	30.5			
L1	13	14			
DN	10	12			
H	35.5	30.5			
C	54	54			



KD2060 Angle Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C



SIZE	1/2x1/4	1/2x1/2
	1/2x3/8	1/2x3/4



KD2061 Angle Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C



SIZE	1/2x1/4	1/2x1/2
	1/2x3/8	1/2x3/4



KD2062 Angle Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C



SIZE	1/2x1/4	1/2x1/2
	1/2x3/8	1/2x3/4



KD2063 Angle Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C



SIZE	1/2x1/4	1/2x1/2
	1/2x3/8	1/2x3/4



KD2064 Angle Valve

- Working Pressure: 1.6Mpa
- Suitable Medium : Hot & Cold Water
- Working Temperature : -10°C to 110°C



SIZE	1/2x1/4	1/2x1/2
	1/2x3/8	1/2x3/4



